

Bye-bye monotony.



MAKE THE RIDE THE **BEST PART OF** Let's change mobility by mixing technology and **YOUR**

DAY

art, and good ideas with good design.

Let's show the world that functionality can be fun and practicality can be beautiful.

Let's make the start button a trigger button that every time is pushed, Monday mornings rides, school runs, traffic jams, and last-minutewe-don't-have-bread calls, are trasformed into something exciting.

Let's keep elevating even the most mundane ride and making the journey the best part of the day.

ENGINERING AND STYLE







LED RIDING LIGHT



LED TAILLIGHTS



Medley gives you the privilege to move with a different point of view, the ideal solution to beat the traffic with elegance and technology, sprint and safety. Lightweight, manageable and compact, Medley provides an exciting riding experience. Medley expresses the most authentic Piaggio design at the highest levels. The tunnel, practical and with a distinctive design, joins the protective and recognisable front with the slim and sleek rear. The sophisticated combination of satin and chrome elements emphases the distinctive details: the central headlight with chrome rings, the LED riding light with an automotive feel, the unique design of the wheel rims with the 6 split spoke motif at the centre. Choose the version in tune with your personality: Medley, elegant and refined, in metallic paint with matt aluminum finish, Medley S, sporty and dynamic, with matt black heat shield and aggressive details or the new Medley Special Edition with graphics that contrast electric blue details with carbon look finishes.





WITH TRIP COMPUTER



PIAGGIO MULTIMEDIA PLATFORM (OPTIONAL)



USB JACK TO RECHARGE YOUR MOBILE PHONE



FUEL TANK CAP
ON CENTRAL TUNNEL



SADDLE WITH PASSENGER HANDLE



RETRACTABLE PASSENGER FOOT RESTS



Medley offers the ultimate in comfort and functionality. Compact but ingenious space management, the only one in its category able to accommodate 2 full face helmets in the under-saddle compartment. Opening of thee low and ample saddle is electrically controlled. Utmost ergonomics also for the passenger, thanks to the retractable non-slip footrests and flush-saddle handle. The fuel cap positioned on the central tunnel is the smart solution for refuelling without getting off the vehicle. Technology gets on board: instrumentation with digital display, USB jack and PMP (Piaggio Multimedia Platform, optional) system connecting the vehicle to your smartphone enhance everyday mobility.

HIGH TECHNOLOGY







NEW I-GET ENGINES WITH START & STOP SYSTEM



Safety is a priority for Medley. The 16" front wheel and the 2 disc brakes with standard two channel ABS provide stability and optimum vehicle control on any terrain. The standard anti-theft immobilizer is activated on removing the ignition key, rendering the scooter unusable. Medley mounts the 125 and 150 liquid cooled i-get injection engines, with Piaggio patented Start & Stop system, which switches off the engine during stops and minimizes fuel consumption.



ACCESSORIES

- WINDSHIELD "TOP"
- WINDSHIELD "URBAN"
- TOP FAIRING
- PAINTED TOP BOX
- PAINTED MAXI TOP BOX
- TOP BOX BACK REST
- TOP BOX SUPPORT
- ELECTRONIC ANTI-THEFT DEVICE
- MECHANICAL ANTI-THEFT DEVICE
- PMP
- BIKE FINDER
- TOMTOM VIO PIAGGIO GROUP EDITION
- VEHICLE COVER
- LEG COVER
- FOOTREST PROTECTION MAT



BIANCO PERLA

GRIGIO TITANIO LUCIDO

BLU MIDNIGHT

Medley's



ROSSO OPACO







NERO GRAFITE

BLU SPORT



TECHNICAL DATA SHEETS

	MEDLEY i-get 125 ABS/Special Edition	MEDLEY i-get 150 ABS/Special Edition
Engine	Piaggio i-get 4-stroke single cylinder	Piaggio i-get 4-stroke single cylinder
	with "Start & Stop" system	with "Start & Stop" system
Displacement	125 cc	155 cc
Bore/Stroke	52 mm / 58.7 mm	58 mm / 58.7 mm
Max power	9 kW at 8,250 rpm	11 kW at 7,750 rpm
Max torque	11.5 Nm at 6,500 rpm	14.4 Nm at 6,400 rpm
Fuel Consumption	46,3 km/l (WMTC mode)	46,7 km/l (WMTC mode)
CO ₂ Emissions	53 g/km	55 g/km
Distribution	4-valve single overhead camshaft (SOHC)	4-valve single overhead camshaft (SOHC)
Cooling	Liquid	Liquid
Lubrication	Wet sump	Wet sump
Ignition	Start & Stop system	Start & Stop system
Fuel supply	Electronic injection	Electronic injection
Transmission	Automatic CVT	Automatic CVT
Clutch	Automatic dry centrifugal	Automatic dry centrifugal
Frame	Single cradle tubular steel frame	Single cradle tubular steel frame
	with pressed steel reinforcements	with pressed steel reinforcements
Front suspension	88 mm stroke hydraulic telescopic fork	88 mm stroke hydraulic telescopic fork
Rear suspension	Double dual effect hydraulic shock absorber,	Double dual effect hydraulic shock absorber,
	adjustable spring preload in 5 positions, 76 mm stroke	adjustable spring preload in 5 positions, 76 mm stroke
Braking system	Two-channel ABS	Two-channel ABS
Front tyre	Tubeless 100 / 80 - 16"	Tubeless 100 / 80 - 16"
Rear tyre	Tubeless 110 / 80 - 14"	Tubeless 110 / 80 - 14"
Front brake	260 mm disc, with twin-piston	260 mm disc, with twin-piston
	floating caliper 2 x 25.4 mm	floating caliper 2 x 25.4 mm
Rear brake	240 mm disc, with twin-piston	240 mm disc, with twin-piston
	floating caliper 2 x 22 mm	floating caliper 2 x 22 mm
Length / Width / Wheelbase	2,020 mm/705 mm/1,390 mm	2,020 mm/705 mm/1,390 mm
Saddle height	799 mm	799 mm
Fuel tank capacity	7 litres (of which 1.5 litres reserve)	7 litres (of which 1.5 litres reserve)
Emissions standard	EURO 4	EURO 4

All vehicles are environmentally friendly with EU type-approval within the acoustic and atmospheric pollution limits.

The company reserves the right at any time to make technical and aesthetic changes. Ride with caution, always wearing a helmet and suitable clothing. Respect the highway code and the environment. Read the user and maintenance manual carefully. Always ask for original and approved spare parts in accordance with the current legislation. Always use Official Piaggio Dealers and authorized Stores for safe purchasing and guaranteed service. Piaggio original spare parts provide guaranteed quality and keep the performance of your vehicle intact.

COMPANY WITH QUALITY SYSTEM ENVIRONMENTAL SYSTEM SAFETY SYSTEM
CERTIFIED BY DNV CERTIFIED BY DNV CERTIFIED BY DNV CERTIFIED BY DNV =ISO 9001=

